

CLAIM AMENDMENTS:

1. (currently amended) An artificial endosphincter for a urethra, the endosphincter comprising:

a retaining part, structured as a temperature-independent, self-expanding stent; and
a valve which can be manually actuated by external pressure, wherein said valve is a self-closing, crossed slotted valve.

2. (original) The endosphincter of claim 1, wherein said stent comprises a tubular interlacing having at least one filament.
3. (original) The endosphincter of claim 2, wherein said retaining part has at least one section without said tubular interlacing.
4. (original) The endosphincter of claim 2, wherein said at least one filament has a round cross-section.
5. (original) The endosphincter of claim 2, wherein said at least one filament is produced from one of a plastic material and a metal material.
6. (original) The endosphincter of claim 1, further comprising X-ray impermeable markings.
7. (original) The endosphincter of claim 1, wherein said stent is cylindrical.

BEST AVAILABLE COPY

8. (original) The endosphincter of claim 1, wherein said stent has at least two cylindrical sections of different radii.
9. (original) The endosphincter of claim 2, further comprising an inner coating and an outer coating, wherein said tubular interlacing is disposed between said inner coating and said outer coating, said inner coating having a smooth inner surface and said outer coating having a structure caused by said tubular interlacing.
10. (original) The endosphincter of claim 9, wherein said inner coating is formed as a tube which is surrounded by said tubular interlacing.
11. (original) The endosphincter of claim 10, wherein said tube leads into a valve receptacle.
12. (original) The endosphincter of claim 11, further comprising a conical transition region disposed between said valve receptacle and said tube.
13. (original) The endosphincter of claim 12, wherein said transition region is covered by said tubular interlacing.
14. (original) The endosphincter of claim 13, wherein filaments of said tubular interlacing taper towards said valve receptacle.
15. (original) The endosphincter of claim 11, wherein said tube and said valve receptacle are formed as one piece.
16. (original) The endosphincter of claim 15, wherein said one piece consists essentially of silicone.

17. (cancelled)
18. (original) The endosphincter of claim 17, wherein said crossed slotted valve has a hollow cylindrical mounting section and a closing section facing said retaining part.
19. (original) The endosphincter of claim 17, wherein said crossed slotted valve has pressure receiving surfaces.
20. (original) The endosphincter of claim 19, wherein said pressure receiving surfaces terminate in sealing lips.
21. (original) The endosphincter of claim 13, wherein said valve is a crossed slotted valve consisting essentially of silicone.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.